

OFFICE OF THE NIMAPARA REGULATED MARKET COMMITTEE :

NIMAPARA

Letter No. : 20 / Date : 11.11.2020

Short Tender / Quotation Call Notice

The Sub-Collector, Nimapara-cum-Chairman, Regulated Market Committee, Nimapara invite rate quoted bid in sealed cover from reputed Manufacturer / Authorized registered Dealer / Supplier for supply, installation and commissioning of grading equipments along with AMC charges per item i.e. i) Electronic Weighing Scale, 300 KG capacity ii) Digital Moisture Meter iii) Minigrader iv) Sample Divider vi) Set of sieves vii) Perkhi viii) Fire extinguisher (4.5K.g. Gas) ix) Test weight (20k.g.) x) Sample collecting Pan, according to the specification communicated vide **letter No. 2212 dt.01.11.2019** and **letter No. 1447 dt.03.11.2020** of O.S.A.M Board, Bhubaneswar for use in Paddy procurement operation 2020-21. The bidder shall have submit two separate sealed quotation envelop i.e. Part-I technical Bid and Part-2 financial Bid. The quotations should be reached to this Office by Regd. Post / Speed Post / Office Box in person on or before **5.30 p.m. of dt.19.11.2020**. The bids will be opened at **04.00 p.m. on dt.20.11.2020** in the Office of the Sub-Collector, Puri in presence of the quotationers or their authorized representatives. The intending firms must submit valid manufacturing license / mode of approval / dealer and repairing license / ISO /GST registration, PAN card with technical bid and other relevant documents as per norm fixed by the Govt.

The authority reserves all the right to reject all or any of the quotations without assigning any reason thereof, for more details visit website <http://puri.nic.in>.

-Sd-

Sub-Collector, Nipamara-cum-
Chairman, R.M.C., Nimapara.

Memo No. 21

Dt. 11.11.2020

Copy submitted to the NIC Puri for favour of kind information and upload the same in website <http://puri.nic.in>.

Secretary RMC Nimapara

Memo No. 22

Dt. 11.11.2020

Copy to office notice board of RMC Nimapara.

Secretary RMC Nimapara



ODISHA STATE AGRICULTURAL MARKETING BOARD

Plot No.1800 (P), Baramunda, Post-Khandagiri, Near Indian Oil Petrol Pump Bhubaneswar
Ph. No.0674-2351311, Fax: 0674-2351316, Email: osamboard99@yahoo.com, Website: www.osamboard.org

Letter No: 1947-(66)
Engg. : G&S/02-2019/20

Dated: 03.11.2020

Pahar
To
5/11/2020
The Secretaries,
All Regulated Market Committee in the State.

Amel
patel
Sub: Procurement of Weighing and Grading Equipments / HDPE Tarpaulin (Polythene) at Market Yard, PPCs for carrying out the Paddy Procurement operation during the Kharif Market Season 2020-21.

Pahar
5/11/2020
Ref: This office letter No 3252 (66) Dt. 30.10.2018, letter No. 1729 (66) Dt. 20.08.2019

and letter No. 2212 (66) Dt. 01.11.2019

Pahar
5/11/2020
Madam / Sir,

Many instances have come to the notice of the undersigned that the instruction issued by the OSAM Board from time to time with regard to procurement of various Weighing Grading Equipment and HDPE Tarpaulin (Polythene) are not adhered to most of the RMCs are purchasing without assessing the position of existing stocks, requirements and utilization of the same. As revealed from the report that due procedures are not being followed for purchase of Weighing Grading Equipment and HDPE Tarpaulin (Polythene). It is also invariably found that some of the RMCs are purchasing materials as per their sweet-will without paying heed to the instructions / guidelines issued by the authority to obviate any short coming, the following instructions are hereby issued.


1. The District Collector may assess the requirement of Weighing Grading Equipment and HDPE Tarpaulin (Polythene) required for Market Yard / Paddy Procurement Center for carrying out Paddy Procurement Operation and the RMCs are allowed to procure the equipments and tarpaulin as assessed by the District Collector (DLPC) within the approved budget and approval of the Chairperson of concerned RMC..
2. Before going to purchase the fresh stock, the availability of previous stock of each material must be taken into consideration. The opening balance of each category of stock must be carried over from previous year. The quantity value and voucher number must be indicated in the stock register. The acknowledgement of the recipient must be ensured.

3. Soon after receipt of the stock copy of the bills with stock entry certificate therein

4. While issuing the Grading Materials to the PPC / PACs and at the time of receiving of the same, it must be kept in mind that certification shall be given that the stocks are in good condition.
5. The instruction issued regarding supply, installation and commissioning of different types of Grading Equipment etc., containing the specifications, term and conditions of supply, installation and commissioning including payment terms, penalty clauses, guarantee / warranty period, annual maintenance contract (AMC) with rates must be strictly followed.
6. Action shall be taken against the person who is found responsible for purchase equipment deviating from specification approved by OSAM Board.
7. For repairing and maintenance of Weighing Scale, Moisture Meter, Mini Grader the letter no. 1734, dated 20.09.2020 issued by the Director Agricultural Marketing (O) cum Member Secretary, OSAM Board must be adhered to.
- ✓ 8. If necessary minimum fire protection support should be provided in the Market Yard and PPCs to avoid if any fire incident in future.
9. RMCs are instructed to undertake procurement of Weighing Grading Equipment through GEM if available / or through tendering process by observing financial formalities.
10. As regards purchase HDPE Tarpaulin RMCs are also instructed to procure the same from valid rate contract from Director Export Promotion and Marketing (DEP&M) Odisha as per their valid approved specification and Rate contract without inviting any tendering process at RMC level.
11. After end of each season, assessment of equipment be done and reasons for non-functioning be ascertained. Accountability be fixed on supplier / user for any short coming / improper usage at their level respectively.

Any deviation to this effect shall be viewed seriously.

Yours faithfully


General Manager
OSAM Board, Bhubaneswar

Memo No 1948

Date 03.11.2020

Copy submitted to all District Magistrate cum Collector for favour of information and necessary action.


General Manager

OSAM Board, Bhubaneswar

Me.no No 1949

Date 03.11.2020

Copy to all Chairpersons of RMCs for information and necessary action with request for necessary guidance in this regards and ensure smooth and better paddy procurement operation for KMS 2020-21 in the State.



General Manager

OSAM Board, Bhubaneswar

Memo No 1950

Date 03.11.2020

Copy forwarded to Marketing Section (I / II / III), Audit Section (OSAM Board) for information and necessary action.


General Manager

OSAM Board, Bhubaneswar



ODISHA STATE AGRICULTURAL MARKETING BOARD

Plot No.1800(P), Baramunda, Post-Khandagiri, Near Indian Oil Petrol Pump Bhubaneswar
Ph. No.0674-2351311, Fax : 0674-2351316, Email : osamboard99@yahoo.com, Website : osamboard.org

Letter No : 2212(66)
G & S - 2/19

Dated : 21.11.19

To

The Chairpersons,
All RMCs in the State.

Sub :- Procurement of Grading Equipment / Tarpaulin/ Polythene at Market
Yard / PPCs for carrying out Paddy Procurement Operation during KMS
2019 -20.

Ref : - Letter No. 15063 / BBSR dt. 01.10.2019 of Commissioner – Cum –
Secretary to Govt. Food Supplies and Consumer Welfare Deptt.
addressed to all Collectors.

Sir,

With reference to the decision taken in the Food and procurement policy meeting addressed to all Collectors of the districts for the KMS 2019 -20 where in it has been clearly mentioned in the para 10.4 that the Collectors will assess the requirement of equipment at market yards/ PPCs for carrying out procurement operation. The purchase orders for grading equipment may be placed at the District level and funds shall be provided by the concerned RMCs. Since procurement activities going to start from the coming month, RMCs are instructed to undertake procurement of grading equipment through GEM if available/ through tender observing due procedure as per the specification communicated to all RMCs vide letter no 3252(66) dt. 30.10.2018. As regards purchase of HDPE tarpaulin, RMCs are also instructed to procure the same from valid rate contract of Director, Export Promotion and Marketing (DEP&M) Odisha Bhubaneswar as per their approved specification and rate contract of HDPE Tarpaulin communicated to all RMCs vide this office letter no. 3252 (66) dt. 30.10.2018. Before going to purchase the fresh stock, the availability of previous stock of each item must be taken into consideration. Soon after receipt of the stock, copy of the bills with stock entry certificate there in shall have to be furnished to OSAM Board for verification.

Yours faithfully,


Encl: 1 to 5 pages


Director Agricultural Marketing
– Cum – Member Secretary
OSAM Board, Bhubaneswar

Memo No 2213/

Dated 01-11-19


Copy forwarded to all Collectors in the State for information and necessary action.


Director Agricultural Marketing
- Cum - Member Secretary
OSAM Board, Bhubaneswar

Memo No 2214/

Dated 01-11-19


Copy forwarded to Private Secretary to Hon'ble Chairman, OSAM Board for favour of kind information of Hon'ble Chairman.


Director Agricultural Marketing
- Cum - Member Secretary
OSAM Board, Bhubaneswar

Memo No 2215/

Dated 01-11-19

Copy forwarded to Private Secretary to Commissioner - Cum - Secretary to Govt. Cooperation Deptt. for favour of kind information of Commissioner - Cum - Secretary.


Director Agricultural Marketing
- Cum - Member Secretary
OSAM Board, Bhubaneswar



ODISHA STATE AGRICULTURAL MARKETING BOARD

Plot No.1800(P), Baramunda, Post-Khandagiri, Near Indian Oil Petrol Pump Bhubaneswar
Ph. No.0674-2351311, Fax : 0674- 2351316, Email : osamboard99@yahoo.com, Website : osamboard.org

Letter No.3252(66)
Mkt-III-94/2017-18

Date 30 10 18

To

The Chairpersons,
All Regulated Marketing Committees in the State.

Sub: Procurement of equipments for quality testing, weighment and other materials by RMCs for paddy procurement.

Ref: Letter No 2997 dated.06 10 2018

Madam / Sir,


With reference to the subject cited above in the letter under reference, requirements of various equipments, materials for safe storage of goods and weighments were called from different RMCs, after the approval of the same by the District Level Purchase Committee under the Collector. Information in this regard has been received only from some RMCs, and other RMCs are yet to submit the information

This information is being obtained to consider whether centralized procurement at the level of OSAM Board may be done, on which further decision has not yet been taken. However, these specifications for the equipments / materials have already been finalized and the same are enclosed for your reference.

In the mean time, procurement activities are going to start from the coming month and some RMCs have asked for clarification in this regard. Almost all the RMCs have reported some stock of such equipments and materials already available to take care of initial requirements for paddy procurement operations. However, in order to avoid any dislocation, the RMCs are instructed that they may undertake procurement of equipments and materials meeting the specifications enclosed to take care of the immediate requirements, if any. However, instructions given with regard to stock entries, due verification and other aspects to ensure procurement of good quality equipments / materials, as issued in this office letter No.2997 dated.06.10.2018 must be followed scrupulously, failing which appropriate action may be initiated against the Secretary of RMC concerned.

Encl: 1 to 3 pages

Yours faithfully,


29/10/18
Director, Agricultural Marketing-Cum-
Member Secretary, OSAM Board

Memo No. 3253 / Date 30.10.18

Copy forwarded to all Collectors in the State for information and necessary action.

[Signature]
29/10/18

Director, Agricultural Marketing-Cum-
Member Secretary, OSAM Board

Memo No. 3254 / Date 30.10.18

Copy forwarded to Private Secretary to Hon'ble Chairman, OSAM Board for favour of kind information of Hon'ble Chairman.

[Signature]

Director, Agricultural Marketing-Cum-
Member Secretary, OSAM Board.

Memo No. 3255 / Date 30.10.18

Copy forwarded to Private Secretary to Commissioner-cum-Secretary to Government, Cooperation Department for favour of kind information of Commissioner-Cum-Secretary.

[Signature]

Director, Agricultural Marketing-Cum-
Member Secretary, OSAM Board

**TECHNICAL SPECIFICATION OF ELECTRONIC WEIGHING SCALE 300Kg.
CAPACITY (With Printer facility)**

Sl. No.	Specification
1	Minimum weight of the machine 30Kg.
2	Weighing Capacity – 300 Kg. maximum, 1 Kg. minimum e=50 g.(least count)
3	Accuracy classes – Class-III
4	Platform size – 60 cm x 60 cm
5	Platform-Powder coated frame and stainless steel platter (202 grade & above)
6	Indicator / Display – LED/LCD display screen
7	In case of printer facility, the machine should have computer interface and printing facility with memory in the printer.
8	Load Cell : The load cell must be overload and shock protection. Connecting wires from base to head should be rat protection.
9	Battery – Minimum 12 hours & above Battery Backup Battery housing should be separated and should be replaced without breaking seal of Inspector Legal Metrology.
10	With both software and hardware locking facility. Provision for seal of Inspector Legal Metrology
11	Overload 600 Kg. & above
12	Model approval : Weighing Scale have model approval certificate from competent authority from Govt. of India
13	Machines shall be delivered after certification by LMO

**TECHNICAL SPECIFICATION OF ELECTRONIC WEIGHING SCALE 600Kg.
CAPACITY (With Printer facility)**

Sl. No.	Specification
1	Minimum weight of the machine 40 Kg. and above
2	Weighing Capacity – 600 Kg. maximum, 2Kg. minimum e(least count). =100 g
3	Accuracy classes – Class-III
4	Platform size – 750 mm x 750 mm / 700 mm x 800 mm
5	Platform-Powder coated frame and stainless steel platter (202 grade & above)
6	Indicator / Display – LED/LCD display screen
7	In case of printer facility, the machine should have computer interface and printing facility with memory in the printer
8	Load Cell : The load cell must be overload and shock protection. Connecting wires from base to head should be rat protection.
9	Battery – Minimum 12 hours & above Battery Backup Battery housing should be separated and should be replaced without breaking seal of Inspector Legal Metrology.
10	With both software and hardware locking facility. Provision for seal of Inspector Legal Metrology
11	Overload 1000 Kg. & above
12	Model approval : Weighing Scale have model approval certificate from competent authority from Govt. of India
13	Machines shall be delivered after certification by LMO

N.B. : The AMC of the Weighing Machine should be given to the original supplier of the machine to protect the longevity of the machine and well-functioning

TECHNICAL SPECIFICATION OF MINI SEED GRADER

Sl. No.	Specifications
1	Laboratory Model
2	Commodity : Paddy, Pulses
3	Operating Voltage : 220 Volt. 50 Hz A.C.
4	Screen area : 29 x 24 cm 23 approx.
5	Screen provided : Set of 10 Sieves
6	Sieve sizes (mm): 3.5 OH, 2.75 OH, 2.0 OH, 1.85 OH, 1.75 OH, 1.5 OH, 7.0 RH, 5.0 RH, 1.6 RH and 1.2 RH (OH-Oblong Hole and RH - Round Hole)
7	No. of working screen : Two
8	Motor: ½ HP Single Phase (ISI Standard)
9	Operation : Manual, Power
10	Adjustable feed control, Air speed regulator, Stainless Steel Sieve
11	Made of teak wood and ply.

TECHNICAL SPECIFICATION OF SET OF SIEVES

Sl. No.	Specifications
1	Set of Sieves (4 nos. with collecting pan and lid made up of brass)
2	Sieve Size - 4 mm - 1 no. 3.35 mm - 1 no. 1.7 mm - 1 no. 1 mm - 1 no. Dust collector - 1 no.
3	Solid Bottom Pan - 1 no.
4	Lid - 1 no.

TECHNICAL SPECIFICATION OF DIGITAL MOISTURE METER

Sl. No.	Specifications
1	Measuring Range: 3.5% to 40%
2	Supply Voltage : 9V DC
3	Temperature Compensation : Automatic calibration & error correction facility
4	Display : Digital LCD / LED
5	Error condition display for over Range or under range : $\pm 0.2\%$
6	Commodity : Cereals, Pulses, Oil Seeds
7	Operating Temperature : Ambient to 50° C

2-3

4-5

TECHNICAL SPECIFICATION OF ANALYSIS BOX / KIT

Sl. No.	Specification
1.	Analysis Box / Kit consists of Class 'B' Mechanical Weighing Balance up to 100 gm. Weight box consist of set of verified weights up to 100 gms. Enamelled Plate-9", Parkhi-9", Sieve-3.30 mesh, Magnifying Glass-1.5" (Magnification of 10X), Vernier / Micrometer, Palm Paddy De-husker, Scoop (With handle, 105 mm x 1000 mm x 25 mm. Measuring Cylinder-20 cc., Built-in Purity Work Board for testing physical purity of seeds, Petri Dish & Forceps all packed in a compact wooden / leather brief case, as small, as light and as compact as possible, but as accurate and as reliable.

TECHNICAL SPECIFICATION OF MICRO METRE

Sl. No.	Specifications
1	Analog measuring device for measurement of length / breadth of seed. The dial used is as per IS specification.
2	Made of stainless steel
3	Range : 0 - 25 mm
4	Resolution : 0.01 mm
5	Accuracy : 0.005 mm

TECHNICAL SPECIFICATION OF SEED SAMPLE DIVIDER (BOERNER TYPE)

Sl. No.	Specifications
1	Meeting BIS specification
2	No. of Pockets : 38
3	Hopper Capacity : 1 Kg. (minimum)
4	Feature : provides accurate splits of the grain Samples into two equal halves with an accuracy of $\pm 5\%$ on a 1Kg sample.
5	Two collecting Pans
6	Copper and Brass Body
7	Made without joint (in material flowing component)

TARPAULIN & HDPE POLYTHENE

To be procured from valid rate contract of Director, Export Promotion & Marketing (DEP&M), Odisha, Bhubaneswar as per their approved specification and rate contract of Tarpaulin and HDPE Polythene.