

Form - IV
(See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier (occupier or operator of facility)		
	(i) Name of the authorised person		Dr. Prasanta Kumar samantaray, Superintendent
	(ii) Name of HCF or CBMWTF	:	Maa Kanaka Durga Enterprises
	(iii) Address for Correspondence	:	At:-CHC, Charichhak, Puri, 752113
	(iv) Address of Facility		At:-CHC, Charichhak, Puri, 752113
	(v) Tel. No, Fax. No	:	9439994724
	(vi) E-mail ID	:	Bpmucharichhak3@gmail.com
	(vii) URL of Website		Not Available
	(viii) GPS coordinates of HCF or CBMWTF		
	(ix) Ownership of HCF or CBMWTF	:	(State Government)
		:	Authorisation No.:

(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules		Authorisation Order No.15451/SPCB/25/11/2017 valid up to 31/03/2020. (Renewal Applied vide Receipt No.289513461 Dt.07/03/2020)
(xi). Status of Consents under Water Act and Act,	:	Valid up to: Applied for 5 years vide Receipt No.564168672 Dt.12/12/2019 (2019-20 to 2023-24)
2. Type of Health Care Facility	:	
(i) Bedded Hospital	:	No. of Beds:.....30
(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital any other)	:	
(iii) License number and its date of expiry		
3. Details of CBMWTF	:	
(i) Number healthcare facilities covered by CBMWTF	:	
(ii) No of beds covered by CBMWTF	:	30
(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day

	Hydroclave			
	Shredder			
	Needle tip cutter or Destroyer Sharps	3	500 gm	185 kg
	encapsulation or concrete pit	4	-	
	Deep burial pits:	3		
	Chemical disinfection:	2	-	
	Any other treatment equipment:		6 kg	265 kg
(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) 3350 kgs		
(iv) No of vehicles used for collection and transportation of biomedical waste	:	Weekly 3 days		
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity generated		Where disposed
		Incineration Ash		
		ETP Sludge		

(vi) Name of the Common Bio- :
Medical Waste Treatment Facility
Operator through which wastes are
disposed of

(vii) List of member HCF not
handed over bio-medical waste.

6 Do you have bio-medical waste
management committee? If yes,
attach minutes of the meetings held
during the reporting period

7 Details trainings conducted on BMW

Yes

(i) Number of trainings
conducted on BMW
Management.

	(ii) number of personnel trained	30
	(iii) number of personnel trained at the time of induction	30
	(iv) number of personnel not undergone any training so far	Nil
	(v) whether standard manual for training is available?	Available
	(vi) any other information)	-
8	Details of the accident occurred during the year	No
	(i) Number of Accidents occurred	No
	(ii) Number of the persons affected	No
	(iii) Remedial Action taken (Please attach details if any)	No
	(iv) Any Fatality occurred, details.	No
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Not Available
	Details of Continuous online emission monitoring systems installed	

	(ii) number of personnel trained	30
	(iii) number of personnel trained at the time of induction	30
	(iv) number of personnel not undergone any training so far	Nil
	(v) whether standard manual for training is available?	Available
	(vi) any other information)	-
8	Details of the accident occurred during the year	No
	(i) Number of Accidents occurred	No
	(ii) Number of the persons affected	No
	(iii) Remedial Action taken (Please attach details if any)	No
	(iv) Any Fatality occurred, details.	No
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Not Available
	Details of Continuous online emission monitoring systems installed	

10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		No
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		No
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

.....01.01.2020 to 31.12.2020.....
.....
.....
.....

Name and Signature of the Head of the
Institution
Dr. Prasanta Ku. Samantaray

Prasanta Ku. Samantaray
01-1-21
Superintendent
C.H.C., Charichhak

Date:01/01/2021

Place:- Charichhak CHC