

**Form - IV  
(See rule 13)**

**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier ( occupier or operator of facility)		
	(i) Name of the authorised person		<b>DR. SIBA PRASAD MANGARAJ</b>
	(ii) Name of HCF or CBMWTF	:	<b>MAA KANAKA DURGA ENTERPRISES</b>
	(iii) Address for Correspondence	:	<b>CHC., GOP, PURI</b>
	(iv) Address of Facility		<b>CHC., GOP, PURI</b>
	(v) Tel. No, Fax. No	:	
	(vi) E-mail ID	:	<b>Bpmugop1@gmail.com</b>
	(vii) URL of Website		<b>NA</b>
	(viii) GPS coordinates of HCF or CBMWTF		<b>NA</b>
	(ix) Ownership of HCF or CBMWTF	:	<b>NA</b>
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	
	(xi). Status of Consents under Water Act and Air Act	:	

Type of Health Care Facility		:	
(i) Bedded Hospital		:	16
(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		:	
(iii) License number and its date of expiry		:	
3.	Details of CBMWTF		:
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		: Yellow Category: 216 KG Red Category : 126 KG White: 18KG Blue Category : 72KG General Solid waste: 2 TON
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size : 10ft x5ft Capacity : 200 KG

Provision of on-site storage

: (cold storage or

any other provision)- Normal  
Storage Room not easy to access  
Public and Animals

disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
	Incinerators			
	Plasma Pyrolysis			
	Autoclaves			
	Microwave			
	Hydroclave			
	Shredder	1		
	Needle tip cutter or Destroyer Sharps	3		
	encapsulation or concrete pit		-	
	concrete pit	2		18 kg
	Deep burial pits:	3		216 kg
	Chemical disinfection:	1% hypochloride solution	-	972 kg
	Any other treatment equipment:	Liquid waste treatment Syntax tank		
(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) 198 kg		
(iv) No of vehicles used for collection and transportation of biomedical waste	:	<b>1 VEHICLE</b>		
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	<b>Quantity generated</b>		<b>Where disposed</b>	
	Incineration Ash			
	ETP Sludge			

(vi) Name of the Common Bio- :  
 Medical Waste Treatment Facility  
 Operator through which wastes are  
 disposed of- Yes

(vii) List of member HCF not  
 handed over bio-medical waste.-0

6 Do you have bio-medical waste :-  
 management committee? If yes,  
 attach minutes of the meetings held  
 during the reporting period- Yes,

7 Details trainings conducted on BMW

(i) Number of trainings conducted  
 on BMW Management.- 2  
 (according to New BMW Rule  
 2018


	(ii) number of personnel trained	30
	(iii) number of personnel trained at the time of induction	20
	(iv) number of personnel not undergone any training so far	Nil
	(v) whether standard manual for Training is available?	Yes
	(vi) any other information)	
8	Details of the accident occurred during the year	Nil
	(i) Number of Accidents occurred	
	(ii) Number of the persons affected	
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred, details.	
9.	Are you meeting the standards of air	

	Pollution from the incinerator? How many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment Methods in place. How many times you have not met the standards in a Year?		10% Hypochloride solution
11	Is the disinfection method or sterilization meeting the log 4 Standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from:-

**01.01.2020 to 31.12.2020**

.....  
 .....

  
 Name and Signature of the Head of the Institution  
**Medical Officer I/c**  
**C.H.C., Gop, Dist. Puri**

Date:

Place- GOP, CHC