

**Form - IV**  
(See rule 13)

**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier ( occupier or operator of facility)		
	(i) Name of the authorised person		<b>Dr. Biswaji Mishra, Superintendent</b>
	(ii) Name of HCF or CBMWTF	:	<b>Maa Kanaka Durga Ent.</b> <i>(Out Sourcing)</i>
	(iii) Address for Correspondence	:	<b>At- CHC Algum, P.O- Basantamala, Satyabadi, Dist-Puri-752014</b>
	(iv) Address of Facility		<b>At- CHC Algum, P.O- Basantamala, Satyabadi, Dist-Puri-752014</b>
	(v) Tel. No, Fax. No	:	<b>9439993765</b>
	(vi) E-mail ID	:	<b>bpmuchalgum@gmail.com</b>
	(vii) URL of Website		
	(viii) GPS coordinates of HCF or CBMWTF		
	(ix) Ownership of HCF or CBMWTF	:	<b>State Government</b>
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	<b>Valid up to 31.03.2023</b>
	(xi). Status of Consents under Water Act and Air Act	:	
2.	Type of Health Care Facility	:	<b>CHC</b>

(i) Bedded Hospital	:	No. Of Bed-6 Nos.
(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
(iii) License number and its date of expiry	:	
3. Details of CBMWTF	:	
(i) Number healthcare facilities covered by CBMWTF	:	
(ii) No of beds covered by CBMWTF	:	6 Nos.
(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day
(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day
4. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	<b>Yellow Category: 95.400 Kgs.</b> <b>Red Category : 171 Kgs</b> <b>White: 7.2 K.g</b> <b>Blue Category : 100.800 Kgs.</b> <b>General Solid waste: 150.00 Kgs.</b>
5. Details of the Storage, treatment, transportation, processing and Disposal Facility		
(i) Details of the on-site storage facility	:	Size : 8F X 4F Capacity : 55 Kgs

Medical Waste Treatment Facility  
Operator through which wastes are  
disposed of- Not Available

(vii) List of member HCF not  
handed over bio-medical waste.-0

6 Do you have bio-medical waste  
management committee? If yes,  
attach minutes of the meetings held  
during the reporting period- Yes,

YES

7 Details trainings conducted on BMW  
(i) Number of trainings conducted  
on BMW Management.-5

	(ii) number of personnel trained	44
	(iii) number of personnel trained at the time of induction	44
	(iv) number of personnel not undergone any training so far	Nil
	(v) whether standard manual for Training is available?	Available
	(vi) any other information)	
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	
	(ii) Number of the persons affected	
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred, details.	
9.	Are you meeting the standards of air Pollution from the incinerator? How	

	Provision of on-site storage any other provision)- Normal Storage Room not easy to access Public and Animals
--	---

: (cold s

disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
	Incinerators			
	Plasma Pyrolysis			
	Autoclaves			
	Microwave			
	Hydroclave			
	Shredder			
	Needle tip cutter or Destroyer Sharps	4	20 Gm.	7.2 Kg.
	encapsulation or concrete pit	2	-	
	Deep burial pits:	3		95.400 Kg.
	Chemical disinfection:	1	-	
	Any other treatment equipment:			
(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)		200.71 Kgs.
(iv) No of vehicles used for collection and transportation of biomedical waste	:	1 Vehicle		
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	<b>Quantity generated</b>		<b>Where disposed</b>	
	Incineration Ash			
	ETP Sludge			
(vi) Name of the Common Bio-				

(vi) Name of the Common Bio-

	many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment Methods in place. How many times you have not met the standards in a Year?		10%. bleaching solution
11	Is the disinfection method or sterilization meeting the log 4 Standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

01.01.2020 To 31.12.2020 .....

.....  
 .....  
 .....



Name and Signature of the Head of the Institution

Medical Officer I/O  
 C.H.C. Alzum

Date: 24.03.2021

Place:- CHC Alzum