

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year by the occupier of Health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	Dr S Iekhraj
	(i) Name of the Authorised person (occupier or operator of Facility)	:	M.O I/C , CHC ,PANIDOL
	(ii) Name of HCF or CBMWTF	:	OUTSOURCING
	(iii) Address of Correspondence	:	
	(iv) Address of Facility	:	
	(v) Tel. No, Fax. No	:	
	(vi) E-mail ID	:	Chc.panidol@gmail.com
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or private or Semi Govt. or any other)
	(x) Status of Authorisation under the Bio-Medical waste (Management and handling) Rules	:	Valid Up to 31.03.2024
	(xi) Status of Consents Under Water Act & Air Act.	:	
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	06
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	

Details of CBMWTF			
(i) Number healthcare facilities covered by CBMWTF	:	1	
(ii) No of beds covered by CBMWTF	:	06	
(iii) Installed treatment & disposal capacity of CBMWTF	:		
(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:		
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category	: 9.3 kg
		Red Category	: 9.6 kg
		White	: 2.4 kg
		Blue Category	: 10.8 kg
		General Solid waste	:
5	Details of the Storage, treatment, transportation, disposed in Kg per annum (on monthly average basis)		
(i) Details of the on-site storage facility	:	Size	:- 6' X 5'
		Capacity	: 80
		Provision of on-site storage : (cold storage or any other provision)	
(ii) details of the treatment or disposal facilities	:	Type of treatment Equipment	No of Units
			Cap acit y Kg/ Day
			Quantity treated or disposed in kg per annum
		Incinerators	
		Plasma Pyrolysis	
		Autoclaves	
		Microwave	
		Hydroclave	
		Shredder	
		Needle tip cutter or Destroyer	2
		Sharps	2
		Encapsulation or Concrete pit	2
		Deep burial pits	3
		Chemical	1
		Disinfection	
		Any other treatment equipment	

	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum		Red Category (like plastic, glass etc.) 18.9 kg						
	(iv) No of vehicles used for collection and transportation of biomedical waste		1						
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		<table border="1"> <thead> <tr> <th>Quantity Generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr> <td>Incineration Ash</td> <td></td> </tr> <tr> <td>ETP Sludge</td> <td></td> </tr> </tbody> </table>	Quantity Generated	Where disposed	Incineration Ash		ETP Sludge	
Quantity Generated	Where disposed								
Incineration Ash									
ETP Sludge									
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of								
	(vii) List of member HCF not handed over bio-medical waste.								
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		YES						
7	Details trainings conducted on BMW		1						
	(i) Number of trainings conducted on BMW Management.		1						
	(ii) number of personnel trained		7						
	(iii) number of personnel trained at the time of induction		7						
	(iv) number of personnel not undergone any training so far		0						
	(v) whether standard manual for training is available?		YES						
	(vi) any other information)								
8	Details of the accident occurred during the year		NO						
	(i) Number of Accidents occurred								
	(ii) Number of the persons affected								
	(iii) Remedial Action taken (Please attach details if any)								
	(iv) Any Fatality occurred, details.								

	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not meet the standards?		YES
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
11	Is the disinfection method or sterilization meeting the log 4		
12	Any other relevant information	:	(Air pollution control devices attached with the incinerator

Certified that the above report is for the period from

January 2020 to December 2020

Date: 22.3.21

Place:- Parnidol

Dr. S. Lechraj
Name and signature of the

Head of the institution

Medical Officer (I/C)
C.H.C Parnidol, Puri