

Form – IV  
(See rule 13)  
ANNUAL REPORT

[ To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of Health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No.	Particulars		
1	Particulars of the Occupier(occupier or :operator of facility)	:	
	(i) Name of the Authorised person	:	Block Public Health Officer, CHC, MANGALPUR
	(ii) Name of HCF or CBMWTF	:	M/S KANAKADURGA ENTERPRISES (OUT SOURCING)
	(iii) Address of Correspondence	:	CHC MANGALPUR, MANGALPUR,PIPILI
	(iv) Address of Facility	:	CHC MANGALPUR, MANGALPUR,PIPILI
	(v) Tel. No, Fax. No	:	9439994728
	(vi) E-mail ID	:	Bpmumangalpur2017@gmail.com
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or private or Semi Govt. or any other)
	(x) Status of Authorisation under the Bio-Medical waste (Management and handling) Rules	:	Authorisation No.:-8539/dated.21.08.19 Valid up to 31.03.2024
(xi) Status of Consents under Water Act & Air Act.	:		
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	6 nos.
	(ii) Non-bedded hospital  (Clinic or Blood Bank or Clinical Laboratory or Research institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	8539/Dt.21.08.2019
3	Details of CBMWTF		
	(i) Number health care facilities covered by CBMWTF	:	1

	(ii) No of beds covered by CBMWTF	:	6			
	(iii) Installed treatment & disposal capacity of CBMWTF	:	___700_ Kg per day			
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	___700_Kg/day			
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 20 kg per month			
			Red Category : 40 Kg per month			
			White : 50 kg per month			
			Blue Category : 15 kg			
			General Solid waste : 35 kg per month			
5	Details of the Storage, treatment, transportation, disposed in Kg per annum (on monthly average basis)					
	(i) Details of the on-site storage facility	:	Size :- 7' X 4'			
			Capacity : 63			
			Provision of on-site storage : (cold storage or any other provision)- Normal Storage Room not easy access Public and Animals			
	(ii) details of the treatment or disposal facilities	:	Type of treatment Equipment	No of Units	Capacity Kg/Day	Quantity treated or disposed in kg per annum
			Incinerators			
			Plasma Pyrolysis			
			Autoclaves			
			Microwave			
			Hydroclave			
			Shredder	1		
			Needle tip cutter or Destroyer Sharps	6	2	-
			Encapsulation or Concrete pit			
			Deep burial pits	2		
			Chemical Disinfection			
			Any other treatment equipment			

	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum		Red Category (like plastic, glass etc.)	
	(iv) No of vehicles used for collection and transportation of biomedical waste		2	
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated	Where disposed
			Incineration Ash	
			ETP Sludge	
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of			
	(vii) List of member HCF not handed over bio-medical waste.			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		YES	
7	Details trainings conducted on BMW		4	
	(i) Number of trainings conducted on BMW Management.		4	
	(ii) number of personnel trained		16	
	(iii) number of personnel trained at the time of induction		16	
	(iv) number of personnel not undergone any training so far		0	
	(v) whether standard manual for training is available?		YES	
	(vi) any other information)			
8	Details of the accident occurred during the year		21	
	(i) Number of Accidents occurred		22	
	(ii) Number of the persons affected		22	
	(iii) Remedial Action taken (Please attach details if any)		YES	
	(iv) Any Fatality occurred, details.			
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		YES	

	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
11	Is the disinfection method or sterilization meeting the log 4		
12	Any other relevant information	:	(Air pollution control devices attached with the incinerator

Certified that the above report is for the period from

Jan 2020 to December 2020 the biomedical waste management 2016 has been implemented and strictly adhered. No deviation is done at CHC MANGALPUR.

Date: 22-4-21

Place:- CHC Mangalpur

  
 22.4.21  
**Block Public Health Officer**  
**C.H.C Mangalpur, Puri**  
 Name and signature of the  
 Head of the institution