

**OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER,  
PURI, ODISHA**

**Tender Notice No: 63/ CDM & PHO, Puri**

**Dated: 02.1.2020**

**TENDER NOTICE FOR SUPPLY, INSTALLATION, COMMISSIONING,  
CONFIGURATION AND OPERATION OF CCTV SURVEILLANCE SYSTEM  
IN "DHH, PURI".**

Sealed tenders are invited from the registered and reputed manufactures/ authorized dealers only in two bid systems for Supply, Installation/ Commissioning, Execution & Testing of CCTV surveillance System on Turnkey Basis at DHH, Puri. The interested firms may submit their offers in sealed covers addressed to The CDM & PHO, Puri, Medical Square, Grand Road, Puri-752001 by registered post/speed post/courier only by 5.00 P.M. of 18.01.2020 by super-scribing "**TENDER FOR CCTV**" on the top of the envelop. The tender paper should be accompanied with Processing Fees Rs.2000/- (Rupees Two thousand) only non-refundable & E.M.D of Rs.20,000/- (Rupees twenty thousand) only in shape of Bank draft drawn on any nationalized Bank in favour of **RogiKalyanSamiti, DHH, Puri**, payable at Puri, the EMD of unsuccessful bidder will be refunded after finalization of the tender and in case of successful bidder. The EMD will be adjusted towards Security Deposit will be returned after completion of warranty period. The interested firms may obtain the tender documents including terms & conditions, specifications, tender schedule etc. from website i.e. **www.puri.nic.in**

Sd/-  
Chief District Medical &  
Public Health Officer, Puri

## **A. REQUIREMENTS:**

### **SCOPE OF WORK:**

Delivery, Installation, Testing and Commissioning of IP Surveillance System.  
Within 2 (two) weeks of placing the order.  
Comprehensive Onsite Warranty: Two years

## **B. BILL OF MATERIALS & TECHNICAL SPECIFICATION:**

### **Bills of Materials:**

1. 2 Megapixel HD Fixed Dome IR Network Camera.  
(Preferred Brand :Pelco/Sony / Panasonic/ Vantage / Bosch/ Honeywell/ Uniview, etc).
2. Megapixel HD Fixed IR Bullet Network Camera.  
(Preferred Brand :Pelco/Sony / Panasonic/ Vantage / Bosch/ Honeywell/ Uniview, etc).
3. Network Video Recorder 32 Channel  
(Preferred Brand :Pelco/Sony / Panasonic/ Vantage / Bosch/ Honeywell/ Uniview, etc).
4. Network Video Recorder 16 Channel  
(Preferred Brand :Pelco/Sony / Panasonic/ Vantage / Bosch/ Honeywell/ Uniview, etc).
5. 32" LED TV with HDMI Cable (Make: SONY / SAMSUNG)
6. On-line UPS (1 KVA)  
(Preferred Brand : Numeric / APC / Emerson, etc)
7. Surveillance HDD(4 TB)  
(Preferred Brand: Seagate/ Toshiba / WD, etc)
8. POE SWITCH  
(Preferred Brand : D-Link/CISCO, etc)
9. CAT 6 UTP CABLE  
(Preferred Brand : D-Link & Finolex, etc)
10. 6 U RACK
11. 4 U Rack

**TENDER FOR SUPPLY AND INSTALLATION OF CCTV EQUIPMENT and ACCESSORIES IN  
DHH, PURI**

<b>Tender No :</b>	
<b>Department :</b>	<b>Health &amp; F.W. Department, Govt. of Odisha</b>
<b>Scope of work :</b>	Process for empanelment of technically qualified Vendors (reputed Original Equipment Manufacturers (OEM) / Subsidiary of OEM / Authorised Dealers ) and finalization of Pricing by selection of L-1 vendor for Supply , installation and maintenance of <b>CCTV Security systems and accessories ( as per Annexure - I ) on turnkey basis</b> as per detailed specification attached.
<b>Mode of tender submission :</b>	Off line, By Registered/Speed Post/Courier so as to reach us within the stipulated date and time.
<b>Consortium :</b>	NOT ALLOWED
<b>Download Tender Documents :</b>	After Login to <a href="http://www.puri.nic.in">www.puri.nic.in</a>
<b>Purchase Location:</b>	DHH, Puri
<b>Document Download Start Date</b>	03.01.2020
<b>Document Download End Date</b>	18.01.2020
<b>Pre- bid meeting</b>	10.01.2020 at 03:00 PM
<b>Last Date &amp; Time of Submission of Tender Bids</b>	18.01.2020 by 05:00 PM
<b>Date &amp; Time of Technical Bid Opening</b>	20.01.2020 at 11:00 AM
<b>Documents to be submitted Physically</b>	The application for technical bid along with all enclosures, tender processing fees of Rs.2,000/- and EMD of Rs.20,000/- are to be submitted By registered/Speed Post/courier so as to reach us within the stipulated date and time. In case any application is received after stipulated date and time, the vendor will not be permitted to participate in the Tender.

## Tender Activity Configuration

<b>Mode of prebid-meeting</b>	Offline - Physical onsite
<b>Mode of Document Fees Payment</b>	Offline
<b>Mode of EMD payment</b>	Offline
<b>Mode of Security Fees Payment</b>	Offline

### Payment Details:

<b>Document Fees</b>	<b>Rs. 2,000/-</b> ( Rupees two thousand only) <b>Non-refundable</b>
<b>EMD Amount</b>	<b>Rs. 20,000/-</b> ( Rupees Twenty thousand only)
<b>Document Fees and EMD</b> In payable to & at	In shape of Bank Draft drawn on any Nationalised Bank, in favour of <b>"RogiKalyanSamiti, DHH, Puri"</b> payable at Puri.

## **C. Eligibility Criteria**

1. The firm/agency/vendors taking part in the tender must be financially sound having wide experience of supplying, installation and maintenance of CCTV equipment and accessories to Banks /Govt. Depts / Public Sector in the state of Odisha. Relevant documents are to be furnished with in the technical bid. Provide supportive documents.
2. The details address along with the name(s) of the contact person(s) are to be mentioned in the technical documents for Hospital information.
3. Vendor should be able to provide on-site after sales service support during the warranty period and thereafter in all offices located in different parts of the area of operations of the DHH, Puri within 12 hrs.
4. The firm must have an Annual turn-over of Rs. 30 lakhs or more during the any of the last 3 (three) financial years. Relevant documents are to be furnished with in the technical bid.
5. Copy of IT return, GST registration & PAN Card.
6. The firm (Bidder) should submit copy of MAF of the respective brand / product quoted.

## **D. General Terms & Conditions**

1. The Firm/Agency/Vendors must be financially sound having wide experience of supplying, installation and maintenance of CCTV Security Systems to Banks / Govt. Deptts. / Public Sector in the state of Odisha.
2. The bidder has to clearly mention the manufacturer name, model no. and make of the items to be supplied.
3. The bidder shall not quote any item, life of which is going to be expired in the next 6 months.
4. The bidder has to submit documentary evidence to support that the hardware item, they have quoted, has all the necessary certifications and an undertaking to be furnished that the software to be installed in the hardware items those are being procured, will have valid license.
5. The vendor should have GSTIN registration in the State of Odisha and should have arrangement for delivering the materials in Odisha. A copy of the certificate in this regard should be enclosed with the technical bid.
6. Not more than one tender for single work shall be submitted by a vendor.
7. Conditional Tender shall not be accepted.
8. A single price, inclusive of all taxes and duties, freight, transit insurance, loading-unloading, Installation & commissioning etc. should be quoted against each item.
9. Increase in the taxes, if any, subsequent to the submission of the quotations, is to be borne by the vendor. However, any decrease in taxes should be passed on to us.

10. The price should include cost of hardware, software, peripherals, installation & commissioning, training to purchase's authorized person etc., if any, mentioned for each item. Declaration should be given that the prices contain all types of mandatory/obligatory taxes/duties in force. Any liability arising out of non-payment of any taxes or duties will be yours.
11. For all items like CCTV Camera, NVR, Hard Disk, POE Switch etc. : The quoted prices should include 2 year's warranty. The period of warranty shall be 24 months from the date of installation & commissioning. Free replacement of all defective components is to be provided during the warranty period.
12. The delivery and installation period is 2 weeks from the date of purchase order. Non-delivery or partial delivery of the ordered items beyond the stipulated time period mentioned above will attract penalty as deemed fit by the Hospital Authorities.
13. In case of non-delivery of the items within 2 - 4 weeks from the date of purchase order, the CDM & PHO, Puri reserves the right to cancel the purchase order or to impose penalty @0.1% per day of the total order value for the delayed period, subject to a maximum limit of 5% of the order value.
14. The CDM & PHO, Puri reserves the right to accept lowest responsive offer based on evaluation of package or reject any or all Tender without assigning any reason.
15. This Tender notice shall form a part of contract document.
16. The vendors are advised to read carefully the "Instructions" and "Eligibility Criteria" contained in the tender documents.
17. The qualifying bidders has to show the demo, where the clarity of the camera and other functions will be evaluated by the committee before the financial bid is opened.

## **E. Payment Terms**

1. 90% of the contract value will be paid after delivery of materials & installation.
2. Balance 10% will be released after 3 months of the successful execution subject to smooth operation of the items supplied.

## Technical Specifications

### 1. Specification for 2 Megapixel HD Fixed Dome IR Network Camera

Image Sensor	2 mega pixels progressive scan CMOS Sensor
Effective Pixels	1280 (H) × 960 (V)
Scanning System	Progressive
Electronic Shutter Speed	Auto / Manual, 1/3 - 1/100,000 s
Min. Illumination	0.05 lx / F1.2 (Color), 0.025 lx / F1.2 (B/W) ; 0 lx / F1.2 (IR on)
S/N Ratio	More than 50 dB
Video Output	N/A
Camera Features	
Max. IR LEDs Length	30 m
Day/Night (ICR)	Auto (IR) / Color / B/W
Backlight Compensation	BLC / HLC / WDR
White Balance	Auto / Manual
Gain Control	Auto / Manual
Noise Reduction	3D
Privacy Masking	Up to 4 areas
Lens	
Focal Length	2.8 mm - 6.0 mm
Max Aperture	F2.0 - F1.8
Angle of View	H : 89° V : 64.5° - H : 46.5° V : 35°
Lens Type	Fixed lens
Video	
Compression	H.264 / MJPEG
Resolution	2 M (1280 × 960) / 720p (1280 × 720) / D1 (704 × 480) / CIF (352 × 240)
Frame Rate Stream (1) Stream (2)	2 M / 720p (1 - 30fps) D1/CIF (1 - 30fps)
Bit Rate	H.264 : 32 K - 8192 Kbps
Network	
Ethernet	RJ45 (10/100Base-T)
Protocol	IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPoE, DDNS, FTP, IP Filter , QoS, Bonjour, Onvif compatible
Max. User Access	20 users
Smart Phone	iPhone, iPad, Android™
General	
EMS Standard	EN55022 Class B, EN55024
Power Supply	DC12 V, PoE (IEEE802.3af)
Power Consumption	Max 4 W
Ambient Operating Temperature/ Humidity	-20°C to +60°C / Less than 95% RH
Water and Dust Resistance	IP66 rated water and dust resistant.
Dimensions	ø113.6 mm × 85.8 mm
Weight	0.29 g

## 2. Specification for 2 Megapixel HD Fixed Bullet IR Network Camera

Image Sensor	2 mega pixels progressive scan CMOS Sensor
Effective Pixels	1280 (H) × 960 (V)
Scanning System	Progressive
Electronic Shutter Speed	Auto / Manual, 1/3 - 1/100,000 s
Min. Illumination	0.05 lx / F1.2 (Color), 0.025 lx / F1.2 (B/W) ; 0 lx / F1.2 (IR on)
S/N Ratio	More than 50 dB
Video Output	N/A
<b>Camera Features</b>	
Max. IR LEDs Length	30 m
Day/Night (ICR)	Auto (IR) / Color / B/W
Backlight Compensation	BLC / HLC / WDR
White Balance	Auto / Manual
Gain Control	Auto / Manual
Noise Reduction	3D
Privacy Masking	Up to 4 areas
<b>Lens</b>	
Focal Length	3.6 mm - 6.0 mm
Max Aperture	F1.8
Angle of View	H : 70° V : 46.5°
Lens Type	Fixed lens
<b>Video</b>	
Compression	H.264 / MJPEG
Resolution	2 M (1280 × 960) / 720p (1280 × 720) / D1 (704 × 480) / CIF (352 × 240)
Frame Rate Stream (1) Stream (2)	2 M / 720p (1 - 30fps)
D1/CIF (1 - 30fps)	
Bit Rate	H.264 : 32 K - 8192 Kbps
<b>Network</b>	
Ethernet	RJ45 (10/100Base-T)
Protocol	IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNM P, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPoE, DDNS, FTP, IP Filter , QoS, Bonjour, Onvif compatible
Max. User Access	20 users
Smart Phone	iPhone, iPad, Android™
<b>General</b>	
EMS Standard	EN55022 Class B, EN55024
Power Supply	DC12 V, PoE (IEEE802.3af)
Power Consumption	Max 4 W
Ambient Operating Temperature/ Humidity	-20°C to +60°C / Less than 95% RH
Water and Dust Resistance	IP66 rated water and dust resistant.
Dimensions	70 mm × 66 mm×160mm
Weight	0.5 kg

### 3. Network Video Recorder (NVR) 32 Channel

Main Processor	Duel Core Embedded Processor
Operating System	Embedded Linux
IP Camera Input	32 Channel
Two-way Talk	1 channel input,1 channel output, RCA
Interface	1 HDMI,1 VGA,1 TV
Resolution	1920x1080,1280x1024,1280x720,1024x768
Display split	1/4/8/9/16
OSD	Camera title, Time, Camera lock, Video lose, motion dictation, Recording
Compression	H264/MJPEG
Resolution	5MP(2560x1920) / 3MP(2048x1536) / 1080P(1920x1080) / 720(1280x720) / D1(704x576/704x480)&etc
Record Rate	200Mbps
Bit Rate	48 - 8192kbps
Record Mode	Manual, Schedule, Regular(continuous),MD, Alarm, Stop
Record Interval	1 - 120min (default 60min),Pre-record: 1-30sec, post record: 10-300sec
Tigger Event	Recording,PTZ,Tour,Alarm,VideoPush,Email,FTP,Snapshot,Buzzer &Screentips
Video Detection	Motion Detection,MD Zones:396(22x18),Video Loss &Camera Blank
Alarm Input	16 Channel
Relay Out Put	4 Channel
Sync Playback	1/4/8/16
Search Mode	Time/Date, Alarm, MD &Exat Search(accurate to second),Smart Search
Play Back Function	Play, Pause, Stop, Rewind, Fast Play, Slow Play, Next File, Pre File, Next Camera, Pre Camera, Full Screen, Reapt, Shuffle, Backup Selection, Digital Zoom
Back Up Mode	USB Drive/Network/Internal SATA Burner/e SATA Device
Ethernet	1 RJ-45 port (10/100/1000mbps)
Network function	HTPP,TCP/IP,IPv4/IPv6 UPNP,RTSP, UDP, SMTP, NTP, DHCP, DNS, IP filter, PPPOE, DDNS, FTP, alarm, server, IP search
Max. user access	128 users
Smart phone	I phone, I pad, android
Internal HDD	4 SATA port, up to 16 GB
External HDD	1 eSATA port
USB	2 port(1Rear USB3.0,1 front USB 2.0 )
RS232	1 port, for pc communication & keyboard
RS485	1port,for PTZ control
Power supply	AC100V-240V,50/60HZ
Power consumption	40W(without HDD)
Working environment	-10 C -+55 C/10% -90%RH/86-106kpa

#### 4. Network Video Recorder (NVR) 16 Channel

Main Processor	Duel Core Embedded Processor
Operating System	Embedded Linux
IP Camera Input	16 Channel
Two-way Talk	1 channel input,1 channel output, RCA
Interface	1 HDMI,1 VGA,1 TV
Resolution	1920x1080,1280x1024,1280x720,1024x768
Display split	1/4/8/9/16
OSD	Camera title, Time, Camera lock, Video lose, motion dictation, Recording
Compression	H264/MJPEG
Resolution	5MP(2560x1920) / 3MP(2048x1536) / 1080P(1920x1080) / 720(1280x720) / D1(704x576/704x480)&etc
Record Rate	200Mbps
Bit Rate	48 - 8192kbps
Record Mode	Manual, Schedule, Regular(continuous),MD, Alarm, Stop
Record Interval	1 - 120min (default 60min),Pre-record: 1-30sec, post record: 10-300sec
Tigger Event	Recording,PTZ,Tour,Alarm,VideoPush,Email,FTP,Snapshot,Buzzer &Screentips
Video Detection	Motion Detection,MD Zones:396(22x18),Video Loss &Camera Blank
Alarm Input	16 Channel
Relay Out Put	4 Channel
Sync Playback	1/4/8/16
Search Mode	Time/Date, Alarm, MD &Exat Search(accurate to second),Smart Search
Play Back Function	Play, Pause, Stop, Rewind, Fast Play, Slow Play, Next File, Pre File, Next Camera, Pre Camera, Full Screen, Reapt, Shuffle, Backup Selection, Digital Zoom
Back Up Mode	USB Drive/Network/Internal SATA Burner/e SATA Device
Ethernet	1 RJ-45 port (10/100/1000mbps)
Network function	HTPP,TCP/IP,IPv4/IPv6 UPNP,RTSP, UDP, SMTP, NTP, DHCP, DNS, IP filter, PPPOE, DDNS, FTP, alarm, server, IP search
Max. user access	128 users
Smart phone	I phone, I pad, android
Internal HDD	4 SATA port, up to 16 GB
External HDD	1 eSATA port
USB	2 port(1Rear USB3.0,1 front USB 2.0 )
RS232	1 port, for pc communication & keyboard
RS485	1port,for PTZ control
Power supply	AC100V-240V,50/60HZ
Power consumption	40W(without HDD)
Working environment	-10 C -+55 C/10% -90%RH/86-106kpa

## 5. Specification for Cat.6 UTP Solid Cable

Cable Type	UTP Solid Cat6
No. of Wires	4 Pair
Rip Cord Material	Nylon
Cable Length	305M
Conductor Material	Bare Copper Solid
Construction	23AWG
Insulation Material	Polyethylene
Insulation Thickness	0.22±; 0.02mm
Insulation Diameter	0.93 ±; 0.05mm
Jacket Material	PVC
Jacket Thickness	0.69 mm (Min. Thickness)
Jacket Diameter	5.8 ±; 0.20mm
Insulation Resistance	Min. 5000 mega ohms-km at 20°C
Dielectric Test	1000V DC / 1min: No Breakdown
Temperature Rating	75° C
Voltage Rating	30V
Certification & Standards	EIA /TIA 568C,ETL Verified ,ISO/IEC 11801,ISO 9001:2000

## 6. Specification for 8 Port Giga POE Switch

Link/Act	Solid (RJ45 port is connected) Blinking (RJ45 port data is transmission) Off (RJ45 port is not connected or not properly connected)
Power	Solid (Power On) Off (Switch is Power Off / No power)
Standards	IEEE802.3, 802.3u, 802.3x, & 802.3af
Number of Ports	8 x 10/100/1000M RJ45 PoE Ports 1 x 10/100/1000M RJ45 Uplink Port
Power Input	52V DC /1.25A
Network latency	Less than 20us for 64-byte frames in Store-and- forward mode
Backplane Bandwidth	10GBPS
Processing types	Store-and-forward Half-duplex back pressure IEEE802.3x full- duplex flow control
Operating Temperature	0 ~45 (32 ~104 )
Storage Temperature	-40 ~70 (-40 ~158 )
Operating Humidity	10%~90% non-condensing
Storage Humidity	5%~90% non-condensing
Rugged metal housing	desktop / wall-mount

## 7. Specification for 4 U and 6 U Rack

Front Door with Toughened Glass quality.

- Adjustable Mounting rails - Front and Back
- Fan Mounting provision Top and bottom cable entry provides Optimal flexibility for cable management
- Easy wall mount provision
- Frame structure with max loading capacity up to 60kg
- Compatible with 19" International standards

### 8. Specification for Surveillance HDD (4 TB)

Formatted capacity <sup>2</sup>	4TB
Data transfer rate (max) Buffer to host Host to/from drive (sustained catch (MB)	6 Gb/s 150 MB/s 64
Performance Class	5400 RPM Class
Load/unload cycles <sup>4</sup>	300,000
Non-recoverable read errors per bits read	<1 in 10 <sup>14</sup>
Temperature (°C, on the base casting) Operating Non-operating	0 to 65 -40 to 70
Shock (Gs) Operating (2 ms, read/write) Operating (2 ms, read) Non-operating (2 ms)	30 65 250

### 9. Specification for LED TV (32")

LED TV with HDMI Cable	Minimum 32", HDMI, USB, VGA, Ethernet, AV input, 3.5 Jack, Speaker – 2 Nos., Speaker Output – 2.
------------------------	--

### 10. Specification for Online UPS

Online UPS	Minimum 1 KVA with 2hrs. backup
------------	---------------------------------

**Note:** The above equipment's/ cameras needs to be integrated/ installed the new network Infrastructure of the Campus.

## DOCUMENTS FOR TECHNICAL BID

TENDER NO. :

DATE:

DESCRIPTION OF THE TENDER: TENDER FOR SUPPLY AND INSTALLATION OF CCTV SECURITY SYSTEM AND ACCESSORIES IN DHH, PURI FOR THE YEAR

### Technical Bid

Sl. No.	Particulars	
01.	Name of the Bidder	
02.	Registered Address of the Bidder & Email :	
03.	Address for Communication	
04.	Type of Constitution of the Bidder (Limited Company / Pvt. Limited Company / Partnership Firm / Proprietorship Firm (Supporting Documents to be enclosed)	
05.	Date of Incorporation (Supporting Documents to be enclosed)	
06.	GSTIN Registration No. in the State of Odisha (VAT clearance certificate for last financial year to be enclosed)	
07.	Income Tax PAN No. (Copy of the PAN Card to be enclosed)	
08.	Annual Turnover During 2016-17 (Copy of the P/L Accounts to be enclosed)	
09.	Annual Turnover During 2017-18 (Copy of the P/L Accounts to be enclosed)	
10.	Annual Turnover During 2018-19 (Copy of the P/L Accounts to be enclosed)	
11.	Contact Person (s) with cell No.	
12.	Service personnel Name & Contact No.	

## MANUFACTURER'S AUTHORIZATION FORM (MAF)

To,  
The Chief District Medical & Public Health Officer, Puri

**Ref : Tender No:**

**Dated.**

Dear Sir,

We, M/s. \_\_\_\_\_ who are established and reputed manufacturers of \_\_\_\_\_ having factories / Depot as at \_\_\_\_\_ and \_\_\_\_\_ do hereby authorize M/s. \_\_\_\_\_ (Name and address of bidder) to offer their quotation and conclude the contract with you against the above invitation for the Bid, as one of our Authorized Dealers.

We hereby confirm that the CCTV System including all components delivered to the Odisha Forest Development Corporation Ltd, will be brand new. We also guarantee that all the software / components supplied by the supplier is licensed and legally obtained.

We, hereby, extend our full guarantee and comprehensive warranty as per terms and conditions of the Tender for our products offered against this invitation for Bid by the above firm. We, hereby confirm that the spares for the product offered should be available for after sales service for at least 05 years.

Dated at \_\_\_\_\_ this \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_.

Authorized Signatory

Signature:

Name & Designation:

Name & Address of the company:

**(To be submitted on Company (OEM)'s letter head duly signed by the authorized signatory of Company along with technical specification of products.)**

## G. STANDARD FORMATS FOR TECHNICAL PROPOSAL

### CHECKLIST OF DOCUMENTS TO BE SUBMITTED

Sl No	Document	Format	Submitted (Y/N)
01	Details of the Bidder and its Authorized Representative	H	
02	Financial Details	I	
03	Registration Details		
04	Bidder should be registered with GSTN Authority		
05	The Bidder should have MAF Authorization letter for this tender		
06	Self-Certification for Non-Black Listing by Government		
07	Work Experience in Detail		
08	List of Items to be Supplied	J	
09	Technical Specification Compliance Statement	K	
10	EMD	Bank Draft	
11	Bid Processing Fee	Bank Draft	

### H. DETAILS OF THE BIDDER AND HIS AUTHORIZED REPRESENTATIVE

01	<b>DETAILS OF THE BIDDER</b>	
	Name of the Organization	
	Address of the Organization	
	Telephone (s)	
	Fax	
	Email	
	Website	
	PAN No	
GST No		
02	<b>DETAILS OF THE AUTHORIZED PERSON</b>	
	Name	
	Address	
	Telephone No	
	Cell Phone	
	Email	

## I. FINANCIAL DETAILS OF BIDDER

Sl. No.	Financial Year	Turnover in Rs	Profit
01	2016-17		
02	2017-18		
03	2018-19		
	Average Turnover / Profits		

## J. LIST OF ITEMS

Sl. No.	Item	Make / Brand	Model	Data Sheet Attached (Y/N)
01	2 Megapixel HD Fixed Dome Network Camera (As per Bill of Materials & Technical Specification at B)			
02	2 Megapixel HD Fixed IR Bullet Network Camera (As per Bill of Materials & Technical Specification at B)			
03	Network Video Recorder 32 channel (As per Bill of Materials & Technical Specification at B)			
04	32" LED TV (As per Bill of Materials & Technical Specification at B)			
05	POE SWITCH (As per Bill of Materials & Technical Specification at B)			
06	CAT 6 UTP Cable			
07	4 U RACK			
08	6 U RACK			
09	4 TB Surveillance HDD (As per Bill of Materials & Technical Specification at B)			
10	On-line UPS (1 KVA) (As per Bill of Materials & Technical Specification at B)			

## K. TECHNICAL SPECIFICATION COMPLIANCE STATEMENT

<b>Sr. No.</b>	<b>Technical Specifications of Items</b>	<b>Compliance to RFP specification (Yes or No)</b>	<b>Deviation in Specification from RFP to be specified in unambiguous terms</b>
01	2 Megapixel HD Fixed Dome Network Camera (As per Bill of Materials & Technical Specification at B)		
02	2 Megapixel HD Fixed IR Bullet Network Camera (As per Bill of Materials & Technical Specification at B)		
03	Network Video Recorder 32 channel (As per Bill of Materials & Technical Specification at B)		
04	32" LED TV (As per Bill of Materials & Technical Specification at B)		
05	POE SWITCH (As per Bill of Materials & Technical Specification at B)		
06	CAT 6 UTP Cable (As per Bill of Materials & Technical Specification at B)		
07	4 U RACK (As per Bill of Materials & Technical Specification at B)		
08	6 U RACK (As per Bill of Materials & Technical Specification at B)		
09	Surveillance HDD (As per Bill of Materials & Technical Specification at B)		
10	On-line UPS (1 KVA) (As per Bill of Materials & Technical Specification at B)		

**FINANCIAL BID FORMAT FOR CCTV SECURITY SYSTEMS OF DHH, PURI****TENDER NO. :****Dated.****Table A1****FOR WIRELESS SYSTEM**

Sl. No.	Particulars / Item	Make / Model No.	Rate per unit	GST	Unit Price including GST	Total
<b>01</b>	LED TV (32") with HDMI Cable					
<b>02</b>	NETWORK VIDEO RECORDER (32 Channel)					
<b>03</b>	NETWORK VIDEO RECORDER (16 Channel)					
<b>04</b>	2 MG HD FIXED IR BILLET NETWORK CAMERA (AS PER BILL OF SPECIFICATION AT B)					
<b>05</b>	2 MG HD FIXED IR DOME NETWORK CAMERA (AS PER BILL OF SPECIFICATION AT B)					
<b>06</b>	SURVEILLANCE Hard Disk (4 TB)					
<b>07</b>	POE SWITCH					
<b>08</b>	4 U RACK					
<b>09</b>	6U RACK					
<b>10</b>	Online UPS (1KVA)					
<b>Grand Total</b>						

**Table A2****WITH WIRE SYSTEM**

Sl. No.	Particulars / Item	Make / Model No.	Rate per unit	GST	Unit Price including GST	Total
01	LED TV (32") with HDMI Cable					
02	NETWORK VIDEO RECORDER (32 Channel)					
03	NETWORK VIDEO RECORDER (16 Channel)					
04	2 MG HD FIXED IR BILLET NETWORK CAMERA (AS PER BILL OF SPECIFICATION AT B)					
05	2 MG HD FIXED IR DOME NETWORK CAMERA (AS PER BILL OF SPECIFICATION AT B)					
06	SURVEILLANCE Hard Disk (4 TB)					
07	POE SWITCH					
08	4 U RACK					
09	6U RACK					
10	Online UPS (1KVA)					
11	Wire to be used.(rate per coil of wire.) including casing on the walls and underground wherever it is necessary, generally from one building to other.					
<b>Grand Total</b>						

**Table - B**

Sl. No.	Particulars / Item	Make / Model No.	Rate per unit	GST	Unit Price including GST	Total
01	Supply & Laying of Cat 6 CABUL IN PVC, Power Cable in PVC, PVC PIPE, including Labour Charge (Per Meter).					
02	CCTV installation Charge (per unit)					
		<b>Grand Total</b>				

**AMC PER ITEM AFTER WARRANTY PERIOD****TABLE - C.**

Sl. No.	Particulars / Item	AMC for 3rd Year (Rs.)	AMC for 4th Year (Rs.)	AMC for 5th Year (Rs.)	Total (Rs.)	
01	LED TV (32") with HDMI Cable					
02	NETWORK VIDEO RECORDER (32 Channel)					
03	NETWORK VIDEO RECORDER (16 Channel)					
04	2 MG HD FIXED IR BILLET NETWORK CAMERA (AS PER BILL OF SPECIFICATION AT B)					
05	2 MG HD FIXED IR DOME NETWORK CAMERA (AS PER BILL OF SPECIFICATION AT B)					
06	SURVEILLANCE Hard Disk (4 TB)					
07	POE SWITCH					
08	4 U RACK					
09	6U RACK					
10	Online UPS (1KVA)					
		<b>Grand Total</b>				

**Note:**

1. **The Bidders who have NOT quoted for ALL items & AMC in the list will be liable for REJECTION.**
2. **Evaluation will be made by taking sum of Table A + Table B + Table C**
3. **Comprehensive AMC for above article for three years after completion of warranty period of 02 years.**
4. **No alternate bid/option will be accepted.**