

Form - IV (See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier (occupier or :operator of facility)		
	(i) Name of the authorised person		MEDIAID MARKETING SERVICES, BHUBANESWAR
	(ii) Name of HCF or CBMWTF	:	NIL
	(iii) Address for Correspondence	:	CHC SAKHIGOPAL
	(iv) Address of Facility		OFFICE OF THE MEDICAL OFFICER I/C CHC SAKHIGOPAL
	(v) Tel. No, Fax. No	:	06752272899
	(vi) E-mail ID	:	ahsakhigopal@gmail.com
	(vii) URL of Website		ahsakhigopal@gmail.com
	(viii) GPS coordinates of HCF or CBMWTF		NIL
	(ix) Ownership of HCF or CBMWTF	:	NIL
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	NIL
	(xi). Status of Consents under Water Act and Air Act	:	NIL

2.	Type of Health Care Facility	:	FRU
	(i) Bedded Hospital	:	46 BEDED HOSPITAL
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NO
	(iii) License number and its date of expiry	:	NIL
3.	Details of CBMWTF		NIL
	(i) Number healthcare facilities covered by CBMWTF	:	NIL
	(ii) No of beds covered by CBMWTF	:	NIL
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	NIL Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NIL Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		Yellow Category: 1488 Kg 600 Grm Red Category : 1440 Kg White: 36 Kg Blue Category : 1260 Kg General Solid waste: 9000 Kg
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size : NIL

	Capacity :
	Provision of on-site storage : (cold storage or any other provision)- Normal Storage Room not easy to access Public and Animals

disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
	Incinerators			
	Plasma Pyrolysis			
	Autoclaves			
	Microwave			
	Hydroclave			
	Shredder			
	Needle tip cutter or Destroyer Sharps	5 NOS		
	encapsulation or concrete pit		-	
	Deep burial pits:	2 NOS		36KG
	Chemical disinfection:	3 NOS		1488 KG 600 GRM
	Any other treatment equipment:	2 NOS	-	2000 LTR
(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in kg per annum.	: Red Category (like plastic, glass etc.) 1440 KG			
(iv) No of vehicles used for collection and transportation of biomedical waste	: 1 NOS			
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Quantity generated		Where disposed	
	Incineration Ash			
	ETP Sludge			

(vi) Name of the Common Bio- :
 Medical Waste Treatment Facility
 Operator through which wastes are disposed
 of- Not Available

(vii) List of member HCF not handed
 over bio-medical waste.-0

6 Do you have bio-medical waste
 management committee? If yes, attach
 minutes of the meetings held during the
 reporting period- Yes,

7 Details trainings conducted on BMW

(i) Number of trainings conducted on
 BMW Management.-5


	(ii) number of personnel trained	30
	(iii) number of personnel trained at the time of induction	30
	(iv) number of personnel not undergone any training so far	
	(v) whether standard manual for Training is available?	
	(vi) any other information)	
8	Details of the accident occurred during the year	NO
	(i) Number of Accidents occurred	NO
	(ii) Number of the persons affected	NO
	(iii) Remedial Action taken (Please attach details if any)	NO
	(iv) Any Fatality occurred, details.	NO

9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NO
	Details of Continuous online emission monitoring systems installed		NO
10	Liquid waste generated and treatment Methods in place. How many times you have not met the standards in a Year?		METHOD OF DISINFECTION WITH BLEECHING ONE TIMES.
11	Is the disinfection method or sterilization meeting the log 4 Standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 2017

Date: 27.06.2018.

Place Sakhigopal, Puri

 27.6.18
Name and Signature of the Head of the Institution

Medical Officer I/C
C.H.C. Sakhigopal, Puri